

- Letters*, 2006, **580**(4): 1 094-1 102.
- [33] GRÄFE K, SCHMITT L. The ABC transporter G subfamily in *Arabidopsis thaliana* [J]. *Journal of Experimental Botany*, 2021, **72**(1): 92-106.
- [34] KIM D Y, BOVET L, MAESHIMA M, et al. The ABC transporter AtPDR8 is a cadmium extrusion pump conferring heavy metal resistance [J]. *The Plant Journal*, 2007, **50**(2): 207-218.
- [35] PIGHIN J A, ZHENG H Q, BALAKSHIN L J, et al. Plant cuticular lipid export requires an ABC transporter [J]. *Science*, 2004, **306**(5 696): 702-704.
- [36] PANIKASHVILI D, SAVALDI-GOLDSTEIN S, MANDEL T, et al. The *Arabidopsis DESPERADO/AtWBC11* transporter is required for cutin and wax secretion [J]. *Plant Physiology*, 2007, **145**(4): 1 345-1 360.
- [37] DHARA A, RAICHAUDHURI A. ABCG transporter proteins with beneficial activity on plants [J]. *Phytochemistry*, 2021, **184**: 112 663.
- [38] TAKEDA S, IWASAKI A, et al. The half-size ABC transporter FOLDED PETALS 2/ABCG13 is involved in petal elongation through narrow spaces in *Arabidopsis thaliana* floral buds [J]. *Plants* (Basel, Switzerland), 2014, **3**(3): 348-58.
- [39] PANIKASHVILI D, SHI J X, SCHREIBER L, et al. The *Arabidopsis ABCG13* transporter is required for flower cuticle secretion and patterning of the petal epidermis [J]. *New Phytologist*, 2011, **190**(1): 113-124.
- [40] Bird D, Beisson F, Brigham A, et al. Characterization of *Arabidopsis ABCG11/WBC11*, an ATP binding cassette (ABC) transporter that is required for cuticular lipid secretion [J]. *The Plant Journal*, 2007, **52**(3): 485-498.
- [41] MCFARLANE H E, SHIN J J H, BIRD D A, et al. *Arabidopsis ABCG* transporters, which are required for export of diverse cuticular lipids, dimerize in different combinations [J]. *Plant Cell*, 2010, **22**: 3 066-3 075.
- [42] ZHU B T, LI H, XIA X Z, et al. ATP-Binding Cassette G transporters SGE1 and *MtABCG13* control stigma exertion [J]. *Plant Physiology*, 2020, **184**(1): 223-235.
- [43] 庄维兵, 刘天宇, 束晓春, 等. 植物体内的花青素苷生物合成及呈色的分子调控机制 [J]. *植物生理学报*, 2018, **54**(11): 1 630-1 644.
ZHUANG W B, LIU T Y, SHU X C, et al. Molecular regulation of anthocyanin biosynthesis and coloration in plants [J]. *Plant Physiology Journal*, 2018, **54**(11): 1 630-1 644.
- [44] ZHU Q L, XIE X R, ZHANG J, et al. In silico analysis of a MRP transporter gene reveals its possible role in anthocyanins or flavonoids transport in *Oryza sativa* [J]. *American Journal of Plant Sciences*, 2013, **4**(3): 555-560.
- [45] LU Y P, LI Z S, et al. AtMRP2, an *Arabidopsis* ATP binding cassette transporter able to transport glutathione S-conjugates and chlorophyll catabolites: functional comparisons with AtMRP1 [J]. *The Plant Cell*, 1998, **10**(2): 267-282.
- [46] FRANCISCO R M, REGALADO A, et al. ABCC1, an ATP binding cassette protein from grape berry, transports anthocyanidin 3-O-glucosides [J]. *The Plant Cell*, 2013, **25**(5): 1 840-1 854.
- [47] MUHLEMANN J K, KLEMPIEN A, DUDAREVA N. Flo-
ral volatiles: From biosynthesis to function [J]. *Plant, Cell & Environment*, 2014, **37**(8): 1 936-1 949.
- [48] ADEBESIN F, WIDHALM J R, et al. Emission of volatile organic compounds from *Petunia* flowers is facilitated by an ABC transporter [J]. *Science*, 2017, **356**(6 345): 1 386-1 388.
- [49] 关环. 果胶甲酯酶基因 PME21 调节拟南芥花粉发育及花粉管生长的研究[D]. 山东泰安: 山东农业大学, 2020.
- [50] QUILICHINI T D, FRIEDMANN M C, SAMUELS A L, et al. ATP-binding cassette transporter G26 is required for male fertility and pollen exine formation in *Arabidopsis* [J]. *Plant Physiology*, 2010, **154**(2): 678-690.
- [51] LUO T, ZOU T, YUAN G Q, et al. Less and shrunken pollen 1 (LSP1) encodes a member of the ABC transporter family required for pollen wall development in rice (*Oryza sativa* L.) [J]. *The Crop Journal*, 2020, **8**(3): 492-504.
- [52] YIM S, KHARE D, KANG J, et al. Postmeiotic development of pollen surface layers requires two *Arabidopsis ABCG*-type transporters [J]. *Plant Cell Reports*, 2016, **35**(9): 1 863-1 873.
- [53] ZHAO G C, SHI J X, LIANG W Q, et al. Two ATP binding cassette G transporters, rice ATP binding cassette G26 and ATP binding cassette G15, collaboratively regulate rice male reproduction [J]. *Plant Physiology*, 2015, **169**(3): 2 064-2 079.
- [54] GEISLER M, BLAKESLEE J J, BOUCHARD R, et al. Cellular efflux of auxin catalyzed by the *Arabidopsis MDR/PGP* transporter AtPGP1 [J]. *The Plant Journal*, 2005, **44**(2): 179-194.
- [55] CECCHETTI V, BRUNETTI P, NAPOLI N, et al. ABCB1 and ABCB19 auxin transporters have synergistic effects on early and late *Arabidopsis* anther development [J]. *Journal of Integrative Plant Biology*, 2015, **57**(12): 1 089-1 098.
- [56] CHOI H, OHYAMA K, KIM Y Y, et al. The role of *Arabidopsis ABCG9* and *ABCG31* ATP binding cassette transporters in pollen fitness and the deposition of sterol glycosides on the pollen coat [J]. *The Plant Cell*, 2014, **26**(1): 310-324.
- [57] 贺祯媚, 李东明, 齐艳华. 植物 ABCB 亚家族生物学功能研究进展 [J]. *植物学报*, 2019, **54**(6): 688-698.
HE Z M, LI D M, QI Y H. Advances in biofunctions of the ABCB subfamily in plants [J]. *Chinese Bulletin of Botany*, 2019, **54**(6): 688-698.
- [58] KANEDA M, SCHUETZ M, et al. ABC transporters coordinately expressed during lignification of *Arabidopsis* stems include a set of ABCBs associated with auxin transport [J]. *Journal of Experimental Botany*, 2011, **62**(6): 2 063-2 077.
- [59] OKAMOTO K, UEDA H, SHIMADA T, et al. An ABC transporter B family protein, ABCB19, is required for cytoplasmic streaming and gravitropism of the inflorescence stems [J]. *Plant Signaling & Behavior*, 2016, **11**(3): e1010947.
- [60] ZHANG Y Q, NASSER V, PISANTY O, et al. A transcriptome-scale amiRNA-based screen identifies redundant roles of *Arabidopsis ABCB6* and *ABCB20* in auxin transport [J]. *Nature Communications*, 2018, **9**(1): 463-489.

(编辑:裴阿卫)